

List of CSS Properties

Text Properties			
Properties	Values	Examples/Notes	CSS Level
font-family	family-name generic-family	Arial, Tahoma serif, sans-serif	CSS1
font-size	(pt), (px), (percent)	pt is Point, i.e. 12pt. px is Pixel, i.e. 20px.	CSS1
font-size-adjust	(number), none, inherit		CSS2
font-stretch	normal, wider, narrower, ultra- condensed, extra- condensed, condensed, semi- condensed, semi- expanded, expanded, extra- expanded,		CSS2
font-style	normal, italic, oblique		CSS1
font-variant	normal, small- caps		CSS1
font-weight	normal, bold, bolder, lighter, (number), xx- small, x-small, small, medium, large, x-large, xx- large, larger	Number can be 100, 200, 300, 400, 500, 600, 700, 800, or 900.	CSS1
font	Any of the above values separated by spaces.	{font: tahoma 12pt oblique bold}	CSS1
letter-spacing	normal, 1em	1em, 2em, and so on.	CSS1
text-align	left, right, center, justify		CSS1
text-decoration	none, underline, overline, line- through, blink		CSS1
text-shadow	none, color length length length, inherit		CSS2

List of CSS Properties

text-transform	none, capitalize, uppercase, lowercase		CSS1
text-indent	(length), (percent)	Length is in pixels.	CSS1
word-spacing	normal, 1em	1em, 2em, and so on.	CSS1
Color/Background Properties			
Properties	Values	Examples/Notes	CSS Level
background-attachment	scroll, fixed		CSS1
background-color	(color), transparent	Color is in hex code .	CSS1
background-image	none, (location)		CSS1
background-position	(percent), (length), top, center, bottom, left, center, right		CSS1
background-repeat	repeat, repeat-x, repeat-y, no-repeat		CSS1
background	Any of the above background values separated by spaces.	{background: URL(back.gif) repeat fixed}	CSS1
color	(color)	Color is in hex code . This refers to the foreground	CSS1
Classification			
Properties	Values	Examples/Notes	CSS Level

List of CSS Properties

list-style-type	disc, circle, square, decimal, lower-roman, upper-roman, lower-alpha, upper-alpha, upper-latin, hebrew, armenian, georgian, cjk-ideographic, hiragana, katakana, hiragana-iroha, katakana-iroh, none		CSS2
list-style-image	none, (url)		CSS1
list-style-position	outside, inside		CSS1
list-style	Any of the above list-style values separated by spaces.	{list-style: disc inside}	CSS1
white-space	normal, pre, nowrap		CSS1
Visual Effects			
Properties	Values	Examples/Notes	CSS Level
clip	auto, (shape)	Currently, the only valid shape is "rect(top,right ,bottom,left)".	CSS2
cursor	auto, crosshair, default, pointer, move, e-resize, ne-resize, nw-resize, n-resize, se-resize, sw-resize, s-resize, w-resize, text, wait, help		CSS1

List of CSS Properties

outline-width	medium, thin, thick, (length), inherit		CSS2
outline-style	none, dotted, dashed, solid, double, groove, ridge, inset, outset		CSS2
outline-color	(color), invert, inherit		CSS2
outline	Any of the above outline values separated by spaces.	{outline: dotted thick}	CSS2
overflow	visible, hidden, scroll, auto		CSS2
visibility	inherit, visible, hidden		CSS2
Generated content, automatic numbering, and lists			
Properties	Values	Examples/Notes	CSS Level
content	(string), (uri), (counter), attr(X), open-quote, close-quote, no-open-quote, no-close-quote, inherit	Used with the :before, :after pseudo-elements.	CSS2
counter-reset	(identifier) (integer), none , inherit	Used with the counter() and counters() functions of the content property.	CSS2
counter-increment	(identifier) (integer), none , inherit	Used with the counter() and counters() functions of the content property.	CSS2
marker-offset	(length), auto, inherit		CSS2
quotes	(string) (string) or more, inherit		CSS2

List of CSS Properties

Visual Formatting			
Properties	Values	Examples/Notes	CSS Level
bottom	auto, inherit, (length), (percent)	Length is in pixels.	CSS2
clear	none, left, right, both, inherit		CSS1
direction	ltr, rtl, inherit	ltr - Left-to-Right rtl - Right-to-Left	CSS2
display	inline, block, list-item, run-in, compact, marker, table, inline-table, table-row-group, table-header-group, table-footer-group, table-row, table-column-group, table-column, table-cell, table-caption, none, inherit		CSS2
float	none, left, right, inherit		CSS1
height	auto, inherit, (length), (percent)	Length is in pixels.	CSS2
line-height	normal, (length), (percent)	Length is in pixels.	CSS1
left	auto, inherit, (length), (percent)	Length is in pixels.	CSS2
max-height	none, inherit, (length), (percent)	Length is in pixels.	CSS2
max-width	none, inherit, (length), (percent)	Length is in pixels.	CSS2
min-height	inherit, (length), (percent)	Length is in pixels.	CSS2

List of CSS Properties

min-width	inherit, (length), (percent)	Length is in pixels.	CSS2
position	static, absolute, relative, fixed, inherit		CSS2
right	auto, inherit, (length), (percent)	Length is in pixels.	CSS2
top	auto, inherit, (length), (percent)	Length is in pixels.	CSS2
unicode-bidi	normal, embed, bidi- override, inherit	Length is in pixels.	CSS2
vertical-align	baseline, sub, super, top, text-top, middle, bottom, text- bottom, (percent)		CSS1
width	auto, (length), (percent)	Length is in pixels.	CSS2
z-index	auto, inherit, (integer)		CSS2

Tables

Properties	Values	Examples/Notes	CSS Level
border-collapse	collapse, separate, inherit		CSS2
border-spacing	(length) (length), inherit		CSS2
caption-side	top, bottom, left, right, inherit		CSS2
empty-cells	show, hide, inherit		CSS2
speak-header	once, always, inherit		CSS2
table-layout	auto, fixed, inherit		CSS2

Aural

Properties	Values	Examples/Notes	CSS Level

List of CSS Properties

volume	number, percentage, silent, x-soft, soft, medium, loud, x-loud, inherit		CSS2
speak	normal, none, spell-out, inherit		CSS2
pause-before	time, percentage, inherit		CSS2
pause-after	time, percentage, inherit		CSS2
pause	time, percentage, inherit		CSS2
cue-before	uri, none, inherit		CSS2
cue-after	uri, none, inherit		CSS2
cue	Any of the above cue properties.		CSS2
play-during	uri, mix, repeat, auto, none, inherit		CSS2
azimuth	angle, left-side, far-left, left, center-left, center, center-right, right, far-right, right-side, behind, leftwards, rightwards, inherit		CSS2
elevation	angle, below, level, above, higher, lower, inherit		CSS2
speech-rate	number, x-slow, slow, medium, fast, x-fast, faster, slower, inherit		CSS2
voice-family	specific-voice generic-voice		CSS2

List of CSS Properties

pitch	frequency, x-low, low, medium, high, x-high, inherit		CSS2
pitch-range	number, inherit		CSS2
stress	number, inherit		CSS2
richness	number, inherit		CSS2
speak-punctuation	code, none, inherit		CSS2
speak-numeral	digits, continuous, inherit		CSS2